



# BLUE

## PORTABLE ULTRASOUND SCANNER

FOR COMPLETE EQUINE DIAGNOSTICS


# BLUE

## PORTABLE ULTRASOUND SCANNER

A premium class mobile ultrasound machine for quick, precise and comprehensive health diagnosis in horses. Intuitive menu, crystal clear touch screen and user friendly interface create a great tool for high quality imaging both in clinic and field environment.

### BLUE FEATURES

- Responsive and crystal clear touchscreen for high quality imaging. Facilitates differentiation of examined structures beyond reproductive tract (lungs, udder, liver, etc.).
- Short boot-up time and active fields for faster set up.
- User friendly interface for better workflow.
- Compatible with tall stand and tendon stand for higher mobility and flexibility of use.
- Remote training and after-sales service for peace of mind.





## FEATURES OF BLUE



12" LED LCD  
touch screen.




Weighs  
only 4 kg.



Internal battery lasting 2.5 hours of continuous  
work and the option of external power supply.



Sensitive color Doppler for easy foetus  
heartbeat detection.







Tendon  
stand

## TECHNOLOGIES OF THE FUTURE:




for linear probes allows a wider field of view,



grayscale curve perfectly matched to the perception of the human eye,




contrast, sharpness and tissue imaging enhancement system.




Musculoskeletal system



Pregnancy



Pregnancy (Doppler image)



Ovary - OPU



## PROBES AND ACCESSORIES

### Linear abdominal

frequency:  
6 - 14 MHz

scanning depth:  
40 - 100 mm

footprint:  
40 mm



### The OPU system

Fast to assembly and disassembly.  
Made from lightweight and easy to clean material.



### Convex abdominal

frequency:  
2 - 8 MHz

scanning depth:  
60 - 300 mm

footprint:  
50 mm



### WiFi antenna (USB)

Enables connecting Dрамиński BLUE ultrasound scanner with Internet.



### Convex abdominal

frequency:  
2 - 5 MHz

scanning depth:  
60 - 350 mm

footprint:  
60 mm



### Gel Standoffs

Enable examination of tendons with the use of a linear probe.



### Linear rectal

frequency:  
4 - 9 MHz

scanning depth:  
40 - 150 mm

footprint:  
60 mm



### Sun protection shield

Facilitates work in strong lighting.





SEE MORE

## DRAMIŃSKI S.A.

Wiktora Steffena 21, 11-036 Sząbruk, Poland



+48 89 675 26 00



ultrasound@draminski.com

[www.draminski.com](http://www.draminski.com)